

according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier lubricant grease FORCE silicone paste

Substance / mixture mixture Number 895603

Other mixture names mazivo FORCE silikonová pasta

1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use silicone lubricant paste

Mixture uses advised against not available

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name KCK Cyklosport-Mode s.r.o.

Address Bartošova 348, Otrokovice - Kvítkovice, 765 02

Czech Republic

Identification number (CRN)18559751VAT Reg NoCZ 185 59 751Phone+420 577 217 520E-mailkrejcirik@kckcyklosport.czWeb addresswww.kckcyklosport.cz

Manufacturer

Name or trade name

Nacházel, s.r.o.

nacházel[®]

Address Průmyslová 11/1472, Praha 10 - Hostivař, 10219

Czech Republic

Identification number (CRN)25734458VAT Reg NoCZ25734458Phone222 351 140E-mailmaziva@nachazel.czWeb addresswww.nachazel.cz

Competent person responsible for the safety data sheet

Name Ing. Zdeněk Nacházel E-mail ing.zdenek@nachazel.cz

1.4. Emergency telephone number

Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals

SECTION 2: Hazards identification

2.1. Substance or mixture classification

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Unknown

Most serious adverse effects on human health and the environment

Unknown

2.2. Label elements

none

2.3. Other hazards

They are not know



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of silicone oil, silica thickener and additives.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

none

SECTION 4: First aid measures

4.1. Description of first aid measures

Affected behavior is dependent on many symptoms. From a medical perspective is injected under the skin under high pressure, must be regarded as an emergency case. Affected tissue swells in a few hours, he turns and begins to pain, which may be associated with a strong subcutaneous necrosis. It is thus a need for urgent surgery to remove the affected tissue debridement. When penetration under strong pressure can be affected by other parts of the tissue.

Inhalation

inapt - pasta

Skin contact

Remove contaminated clothing. Wash the affected skin with lukewarm water and soap or use appropriate cleanser. Never use solvents or thinners! When irritation persists, seek medical attention.

Eye contact

Holding the eyelids open, and at least 15 minutes, rinse with clean, if possible lukewarm, running water and seek medical advice.

Ingestion

Place the victim in peace. Rinse mouth with water (only if the affected person is conscious); Never induce vomiting. Seek medical advice immediately and show the container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

not available

Skin contact

they are not known

Eye contact

Possible irritation.

Ingestion

they are not known

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist

Unsuitable extinguishing media

water - full jet

5.2. Special hazards arising from the substance or mixture

Fire produces heavy, black smoke, with potential development of carbon monoxide and dioxide and other toxic gases. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

The mixture is non-flammable. Provide sufficient ventilation. Use gloves in case of prolonged contact. Follow the instructions in Sections 7 and 8.



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per Section 13. Collected material should be disposed of in accordance with locally valid regulations. Upon an escape of large quantities of the product, inform the Fire Department and the Environmental Department of the Municipal Authority with extended scope of competencies. After removal of the product, wash the contaminated site with plenty of water or another suitable cleaning material. Do not use solvents.

6.4. Reference to other sections

7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

The product should be used only in areas where it is not in contact with open fire and other ignition sources. No smoking. Protect against direct sunlight. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage class 13 - Other non-combustible solids
Content 100 g
Packaging type Dose

Material of package HDPE (2), High-density (linear) polyethylene (Plastics)



HDPE

min 0 °C, max 40 °C

Storage temperature7.3. Specific end use(s)

Observe the technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

none

8.2. Exposure controls

Follow usual measures for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant against the product. Observe recommendations of the particular manufacturer of the gloves in the choice of their appropriate thickness, material and permeability. Use barrier creams for skin protection, they should however not be applied once exposure has occurred. Observe other recommendations of the manufacturer. Other protection: Protective antistatic clothing made of natural fibres (cotton) or synthetic fibres resistant against elevated temperatures. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of toxic substances are exceeded or in a poorly ventilated environment.

Thermal hazard

not available

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance spreadable paste
Physical state solid at 20°C
color transparent
Odour insignificant
Odour threshold data not available
pH data not available
Melting point/freezing point data not available

Initial boiling point and boiling range $>150~{\rm ^{\circ}C}$ Flash point $100~{\rm ^{\circ}C}$

Evaporation rate data not available Flammability (solid, gas) data not available

Upper/lower flammability or explosive limits

flammability limits data not available explosive limits data not available Vapour pressure data not available Vapour density data not available Relative density data not available

Solubility(ies)

solubility in water insoluble

solubility in fats data not available
Partition coefficient: n-octanol/water data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
Viscosity data not available
Explosive properties data not available
Oxidising properties data not available

They are not available

9.2. Other information

Density 1 g/cm³ at 20 °C ignition temperature data not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The mixture is non-flammable

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

The product is stable under normal conditions.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. Thereby a dangerous exothermic reaction will be prevented.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous products are formed at high temperature and in fire, such as carbon monoxide and carbon dioxide, heavy smoke and nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

More information

They are not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

The product contains no substances with an effect against active action of microorganisms.

More information

They are not available

12.2. Persistence and degradability

The product is not biodegradable.

12.3. Bioaccumulative potential

Insignificant.

12.4. Mobility in soil

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

The product is not classified as PBT or vPvB.

12.6. Other adverse effects

Water hazard class: WGK 1

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to an authorised person for waste removal (specialized company) authorised for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling. Hazard of environmental contamination; remove waste in accordance with local and/or national regulations.

Waste management legislation

Council Directive 75/442/EEC on waste, as last amended. Council Directive 91/689/EEC on hazardous waste, as last amended. Decision 94/3/EC establishing a list of wastes, as last amended.

Waste type code

12 01 12 spent waxes and fats

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number

Not subject to ADR.

14.2. UN proper shipping name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

not available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

is not subject to regulations ICAO/IATA

Marine transport - IMDG

MFAG is not subject to regulations MFAG

Marine Pollutant No.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not yet done

SECTION 16: Other information

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease	FORCE si	licone paste
------------------	----------	--------------

Creation date	23. January 2019	Revision no.	0
Revision date	06. October 2015	Version	2

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockadeICAO International Civil Aviation OrganizationIMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level
NOEC No observed effect concentration
NOEL No observed effect level

OEL Occupational Exposure Limits
PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Publication of "Zásady pro poskytování první pomoci při expozici chemickým látkám" (doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement



according to Regulation (EC) No 1907/2006 (REACH) as amended

lubricant grease FORCE silicone paste

Creation date 23. January 2019 Revision no. 0
Revision date 06. October 2015 Version 2

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.